

Showerhead - Brushed Platinum

TARA

28 504 979



Fits: TARA, LISSÉ, VAIA, META

- 7-1/8"-8-1/4" Projection
- Ball-joint pivotable through 30°
- PURIFY RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Descaling system
- Ø 3-7/8"
- Flange diameter 2-1/8"
- 1/2" connection

Codes & Standards

- California Energy Commission (CEC)
- ASME A112.18.1/CSA B125.1
- This product reduces water consumption by % (compared to requirements of EPAct '92)
- This product contributes to meeting requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Platinum	28 504 979-06 0010
	Chrome	28 504 979-00 0010
	Platinum	28 504 979-08 0010
	Dark Chrome	28 504 979-19 0010
	Brushed Durabrass (23kt Gold)	28 504 979-28 0010
	Matte Black	28 504 979-33 0010
	Brushed Champagne (22kt Gold)	28 504 979-46 0010
	Champagne (22kt Gold)	28 504 979-47 0010
	Brushed Chrome	28 504 979-93 0010
	Brushed Dark Platinum	28 504 979-99 0010




Showerhead - Brushed Platinum


TARA

28 504 979

mm [inches]



Flow rate chart



Codes & Standards

ASME
A112.18.1/CSA
B125.1

California Energy
Commission
(CEC)

Water Sense





Showerhead - Brushed Platinum

TARA


28 504 979

Certificates

IAPMO_11777. IAPMO_4976 (4).

28 504 979

Parts for other
finishes can be found
here: Chrome



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	09 27 22 003-06	rosette	1	10
2	90 14 10 026 00 90	seal	1	2
3	09 11 03 011-06	connection	1	10
4	90 14 20 002 00 90	seal	1	2
5	90 12 05 054 01-06	shower	1	10