



DORNBRACHT LYV Single-lever mixer with pull-out spout - Chrome

33 845 110





- 9-3/8" Projection
- Swiveling spout 120°
- Aerated stream and spray mode
- Fabric braided spray hose 59"
- Water flow rate limited to max. 1.3 gpm
- lead-free

	Chrome	33 845 110-00 0010
	Soft Black	33 845 110-69 0010
	Brushed Nickel	33 845 110-70 0010




DORNBRACHT LYV Single-lever mixer with pull-out spout - Chrome

33 845 110



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	NSF372
NSF61			



DORNBRACHT LYV Single-lever mixer with pull-out spout - Chrome

33 845 110


Certificates

IAPMO_N-4976 IAPMO_6397 IAPMO_4976 (

DORNBRAUCH LYV Single-lever mixer with pull-out spout - Chrome

33 845 110

Parts for other
finishes can be found
here: [Soft Black](#)



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 20 81 001 00-00	handle	1	2
2	90 28 30 010 00-00	cover	1	2
3	90 15 05 067 00 90	cartridge	1	2
4	90 18 40 227 00 90	insert	1	2
5	90 30 02 101 00 90	hose	1	2
6	90 23 01 051 01 90	flow reducer	1	2
7	90 14 05 081 00 90	seal	1	2
8	90 12 11 181 01-00	shower	1	2
9	90 14 15 062 00 90	gasket kit	1	2
10	90 30 01 211 01 90	shaft	1	2
11	90 14 05 080 00 90	seal	1	2
12	90 23 10 003 00 90	fixing set	1	2
13	04 30 04 102 00 90	Flexible supply line 3/8" -	2	2
14	90 30 04 110 00 90	hose	1	2