
### Cape Cod Washbowl # 233950..00 / 233950..00



Washbowl	Dimension	Weight	Order number
DuraCeram®, Trioval, Tap hole platform: No, Overflow: No, mm	500		
Colors			
00 White Alpin 32 White Satin Matt			
Variant			
$\otimes$ White High Gloss, Number of washing areas: 1 Middle		6.100 kg	23395000
$\otimes$ White Satin Matt, Number of washing areas: 1 Middle		6.100 kg	23395000
Sanitary ceramics with the special WonderGliss surface finis time to come. When ordering WonderGliss please add a "1" as eleventh die			
Suitable products			
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possi Handle Silver, Soft self-closing automatic with damping, 80 550 mm			КТ6694
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possi Handle Silver, Soft self-closing automatic with damping, 100 550 mm			КТ6695
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possi Handle Silver, Soft self-closing automatic with damping, 120 550 mm			КТ6696
Console vanity unit wall-mounted Number of pull-out compartments: 2, Incl. console: Yes, Tap hole drillings possi Handle Silver, Soft self-closing automatic with damping, 14 550 mm	ible, 1400 x 550 mm 00 x		KT6697 B/L/R
Console vanity unit wall-mounted Number of drawers: 2, Inc console: Yes, Tap hole drillings possible, Handle Silver, Siph cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic damping, 800 x 550 mm	10N 800 x 550 mm		KT6654

### Cape Cod Washbowl # 233950..00 / 233950..00

Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1000 x 550 mm	1000 x 550 mm	KT6655
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1200 x 550 mm	1200 x 550 mm	KT6656
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: Yes, Tap hole drillings possible, Handle Silver, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, 1400 x 550 mm	1400 x 550 mm	KT6657 B/L/R
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm	600 x 548 mm	DS5310
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5311
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5312
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5313
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5314
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 600 x 548 mm	600 x 548 mm	DS5315
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 700 x 548 mm	700 x 548 mm	DS5316
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 548 mm	800 x 548 mm	DS5317
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 900 x 548 mm	900 x 548 mm	DS5318
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 548 mm	1000 x 548 mm	DS5319

### Cape Cod Washbowl # 233950..00 / 233950..00

Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm	620 x 547 mm	LC5810
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5811
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5812
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5813
Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5814
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 620 x 547 mm	620 x 547 mm	LC5815
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 720 x 547 mm	720 x 547 mm	LC5816
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 820 x 547 mm	820 x 547 mm	LC5817
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 920 x 547 mm	920 x 547 mm	LC5818
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Interior system Optional, 1020 x 547 mm	1020 x 547 mm	LC5819
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 800 x 548 mm	800 x 548 mm	XS4910
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1000 x 548 mm	1000 x 548 mm	XS4911
Console vanity unit wall-mounted Number of drawers: 2, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1200 x 548 mm	1200 x 548 mm	XS4912

### Cape Cod Washbowl # 233950..00 / 233950..00

Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 800 x 548 mm	800 x 548 mm	XS4920
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1000 x 548 mm	1000 x 548 mm	XS4921
Console vanity unit floorstanding Number of pull-out compartments: 2, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1200 x 548 mm	1200 x 548 mm	XS4922
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm	1400 x 548 mm	XS4913 L/R
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4914 L/R
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm	1400 x 548 mm	XS4923 L/R
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm	1600 x 548 mm	XS4924 L/R
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1400 x 548 mm	1400 x 548 mm	XS4916 B
Console vanity unit wall-mounted Number of drawers: 4, Incl. console: No, Without handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, 1600 x 548 mm	1600 x 548 mm	XS4917 B
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1400 x 548 mm	1400 x 548 mm	XS4926 B
Console vanity unit floorstanding Number of pull-out compartments: 4, Incl. console: No, Without handle, Soft self- closing automatic with damping, Tip-on fitting, Profile: Chrome, High Gloss, Aluminum, Interior system Optional, Incl. support frame, Integrated height adjustment, 1600 x 548 mm	1600 x 548 mm	ХЅ4927 В

#### Cape Cod Washbowl # 233950..00 / 233950..00

Compartments: 1, Incl. console: Yes, rap note drittings possible, 800 x 550 n Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm Console vanity unit wall-mounted Number of pull-out	nm DE4947
Console vanity unit wall-mounted Number of pull-out	
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 r 800 x 480 mm	nm LC105C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 r 800 x 480 mm	nm LC104C
Console Compact, Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 r 800 x 480 mm	nm LC101C
Console Compact, Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 r 800 x 480 mm	nm LC100C
Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm	nm DS105C
Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm 800 x 480 r	nm DS104C
Console Compact, Number of cut-outs: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm 800 x 480 r	nm DS101C
Console Compact, Number of cut-outs: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 480 mm 800 x 480 r	nm DS100C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 800 x 550 m 550 mm	nm LC107C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 800 x 550 m 550 mm	nm LC106C
Console Number of cut-outs: 2, Number of washing areas: 2, Tap hole drillings possible, Incl. console supports: No, 800 x 800 x 550 n 550 mm	nm LC103C
Console Number of cut-outs: 1, Number of washing areas: 1, Tap hole drillings possible, Incl. console supports: No, 800 x 800 x 550 m 550 mm	nm LC102C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. 800 x 550 n console supports: No, 800 x 550 mm	nm DS107C
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. 800 x 550 m console supports: No, 800 x 550 mm	nm DS106C
Console Number of cut-outs: 2, Tap hole drillings possible, Incl. 800 x 550 n console supports: No, 800 x 550 mm	nm DS103C
Console Number of cut-outs: 1, Tap hole drillings possible, Incl. 800 x 550 r console supports: No, 800 x 550 mm	nm DS102C

#### Cape Cod Washbowl # 233950..00 / 233950..00

|< 500 mm >|

Console vanity unit wall-mounted Number of pull-out compartments: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm	1200 x 550 mm	DE4949
Console vanity unit wall-mounted Number of pull-out compartments: 2, Number of open compartments: 2, Incl. console: Yes, Tap hole drillings possible, Handle, Soft self- closing automatic with damping, Lay-in compartment Optional, 1400 x 550 mm	1400 x 550 mm	DE4950 B/L/R
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 800 x 550 mm	800 x 550 mm	DE4967
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1000 x 550 mm	1000 x 550 mm	DE4968
Console vanity unit wall-mounted Number of pull-out compartments: 1, Number of drawers: 1, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1200 x 550 mm	1200 x 550 mm	DE4969
Console vanity unit wall-mounted Number of pull-out compartments: 2, Number of drawers: 2, Number of open compartments: 2, Incl. console: Yes, Tap hole drillings possible, Handle, Siphon cut-out: Yes, Siphon cover: Yes, Soft self-closing automatic with damping, Lay-in compartment Optional, 1400 x 550 mm	1400 x 550 mm	DE4970 B/L/R
Console vanity unit wall-mounted Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 1000 x 550 mm	1000 x 550 mm	DE4929
Console vanity unit wall-mounted Number of open compartments: 1, Incl. console: Yes, Tap hole drillings possible, Without handle, 1000 x 550 mm	1000 x 550 mm	DE4959
Recommended faucets		
Single lever basin mixer L Ceramic cartridge, Height: 262 mm, Spout reach: 136 mm, Connection type for water supply connection: Flexible connecting hoses, Dimension of connection hose: 3/8", Spray mode: Normal spray, Aerator adjustable, recommended operating pressure: 1 - 5 bar, Noise class: I, 165 x 41 mm	165 x 41 mm	C11030002

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.