

Talis Select S
Prep Kitchen Faucet, 2-Spray Pull-Out with sBox, 1.75 GPM
 Finishes : **steel optic** Part no. : **73868801**



Description

Features

- Swivel range 110° / 150°
- Laminar and needle spray
- Toggle spray diverter
- Select button provides convenient start/stop of the water flow at the sprayhead
- MagFit magnetic sprayhead docking
- Single-hole installation
- Flow: 1.75 GPM (6.6 L/Min)
- Ceramic cartridge
- $\frac{3}{8}$ " hoses
- Integrated double backflow prevention

Item details

List Price \$ 820.00

Technology




Compliance



Product image



Scale drawing




Talis Select S
Prep Kitchen Faucet, 2-Spray Pull-Out with sBox, 1.75 GPM
 Finishes : **steel optic** Part no. : **73868801**



Exploded drawing

Year of production: >07/19



Talis Select S
Prep Kitchen Faucet, 2-Spray Pull-Out with sBox, 1.75 GPM
 Finishes : **steel optic** Part no. : **73868801**



Spare parts list

Year of production: >07/19

Pos.	Description	Part no.	Price	PU
1	spout cpl.	93175800	-	1
2	O-ring 8x2	98112000	-	1
3	non return valve DW 10	96456000	-	1
4	set of lever collars	98365000	-	1
5	O-ring 21x2,5	98211000	-	1
6	handspray	93412801	-	1
7	cover	92566800	-	1
8	O-Ring 14x1,5	98201000	-	1
9	nut	92567000	-	1
10	shut off unit	98463000	-	1
11	spray former	93342000	-	1
12	service tool	95910000	-	1
13	handle	93148800	-	1
14	flange	98863800	-	1
15	nut	98864000	-	1
16	O-ring 23x2	98398000	-	1
17	O-ring 27x1,5	92527000	-	1
18	O-ring 25x1,5	98146000	-	1
19	cartridge, assy	97685000	-	1
20	seal	98865000	-	1
21	support	97523000	-	1
22	lever collar	97548000	-	1
23	fixing set (Ø 34)	95049000	-	1
24	connection hose 900 mm M8x0,75 G3/8	95372000	-	1
25	O-ring 7x1,5	98422000	-	1
26	filter packing	95291000	-	1
27	connection hose 450 mm M10x1 G3/8	96507000	-	1
28	O-ring 8x1,75	97827000	-	1
29	sealing set	95581000	-	1
30	squeezing connection	96099000	-	1
a	extension set	43333000	-	1
b	adapter for connection hose	88802000	-	1