




# MARmíte

The beauty of precision.










## Texture:




## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms


## Technical data:

<b>Item number:</b>	625470153033
<b>Dimensions:</b>	L: 1524 mm W: 813 mm H: 39 mm
<b>Texture:</b>	Antislip
<b>Net weight:</b>	83 kg
<b>Gross weight:</b>	87 kg

## Drawings:








-  Sound insulative
-  Safe antislip
-  Possible to install to the floor-level or direct on the tiles
-  Possible to install on feet
-  Stable, doesn't bend under the weight
-  Barrier free access
-  Easy installation
-  Easy to clean
-  Antibacterial
-  Durable



## Texture:




## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms

## Technical data:

Item number:	625472092033
Dimensions:	L: 914 mm W: 914 mm H: 28 mm
Net weight:	44 kg
Gross weight:	48 kg






## Drawings:



- |   |   |   |   |
|---|---|---|---|
|  Sound insulative                      |  Safe antislip       |  Possible to install to the floor-level or direct on the tiles |  Possible to install on feet |
|  Stable, doesn't bend under the weight |  Barrier free access |  Easy installation   |  Easy to clean               |
|  Antibacterial                         |  Durable             |   |   |













## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms






## Technical data:

<b>Item number:</b>	660503092018
<b>Dimensions:</b>	L: 914 mm W: 914 mm H: 30 mm
<b>Overflow:</b>	Without
<b>Texture:</b>	None
<b>Net weight:</b>	40 kg
<b>Gross weight:</b>	42 kg

 Sound insulative	 Safe antislip	 Possible to install to the floor-level or direct on the tiles	 Possible to install on feet
 Stable, doesn't bend under the weight	 Barrier free access	 Easy installation	 Easy to clean
 Antibacterial	 Durable		














## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms

## Technical data:

<b>Item number:</b>	660504153018
<b>Dimensions:</b>	L: 1524 mm W: 813 mm H: 43 mm
<b>Overflow:</b>	Without
<b>Texture:</b>	None
<b>Net weight:</b>	79 kg
<b>Gross weight:</b>	83 kg






 Sound insulative	 Safe antislip	 Possible to install to the floor-level or direct on the tiles	 Possible to install on feet
 Stable, doesn't bend under the weight	 Barrier free access	 Easy installation	 Easy to clean
 Antibacterial	 Durable		



## Texture:




## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms

## Technical data:

<b>Item number:</b>	625471123033
<b>Dimensions:</b>	L: 1219 mm W: 864 mm H: 32 mm
<b>Texture:</b>	Antislip
<b>Net weight:</b>	60.7 kg
<b>Gross weight:</b>	64 kg

## Drawings:



Sound insulative



Safe antislip



Possible to install to the floor-level or direct on the tiles



Possible to install on feet



Stable, doesn't bend under the weight



Barrier free access



Easy installation




Easy to clean



Antibacterial








Durable



## Texture:




## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms

## Technical data:


<b>Item number:</b>	625472123033
<b>Dimensions:</b>	L: 1219 mm W: 914 mm H: 32 mm
<b>Texture:</b>	Antislip
<b>Net weight:</b>	64.3 kg
<b>Gross weight:</b>	68 kg

## Drawings:



-  Sound insulative
-  Safe antislip
-  Possible to install to the floor-level or direct on the tiles
-  Possible to install on feet
-  Stable, doesn't bend under the weight
-  Barrier free access
-  Easy installation
-  Easy to clean
-  Antibacterial
-  Durable










## Texture:




## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms

## Technical data:


Item number:	625471153033
Dimensions:	L: 1524 mm W: 864 mm H: 39 mm
Texture:	Antislip
Net weight:	87.4 kg
Gross weight:	91 kg

## Drawings:




-  Sound insulative
-  Safe antislip
-  Possible to install to the floor-level or direct on the tiles
-  Possible to install on feet
-  Stable, doesn't bend under the weight
-  Barrier free access
-  Easy installation
-  Easy to clean
-  Antibacterial
-  Durable










## Texture:




## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms

## Technical data:

<b>Item number:</b>	625472153033
<b>Dimensions:</b>	L: 1524 mm W: 914 mm H: 39 mm
<b>Net weight:</b>	90.3 kg
<b>Gross weight:</b>	94 kg






## Drawings:



-  Sound insulative
-  Safe antislip
-  Possible to install to the floor-level or direct on the tiles
-  Possible to install on feet
-  Stable, doesn't bend under the weight
-  Barrier free access
-  Easy installation
-  Easy to clean
-  Antibacterial
-  Durable













## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms






## Technical data:

<b>Item number:</b>	660502082018
<b>Dimensions:</b>	L: 813 mm W: 813 mm H: 30 mm
<b>Overflow:</b>	Without
<b>Texture:</b>	None
<b>Net weight:</b>	31 kg
<b>Gross weight:</b>	33 kg

 Sound insulative	 Safe antislip	 Possible to install to the floor-level or direct on the tiles	 Possible to install on feet
 Stable, doesn't bend under the weight	 Barrier free access	 Easy installation	 Easy to clean
 Antibacterial	 Durable		













## According to norms::

-  **Resistance to changes of temperature**  
European Norm EN 14527
-  **Sound insulative**  
VDI 4100 and DIN 4109 norm
-  **ECO packaging**
-  **Antibacterial**  
ISO 22196
-  **CE**  
Product complies with European norms

## Technical data:

<b>Item number:</b>	660502153018
<b>Dimensions:</b>	L: 1524 mm W: 762 mm H: 43 mm
<b>Overflow:</b>	Without
<b>Texture:</b>	Antislip
<b>Net weight:</b>	75 kg
<b>Gross weight:</b>	80 kg

 Sound insulative	 Safe antislip	 Possible to install to the floor-level or direct on the tiles	 Possible to install on feet
 Stable, doesn't bend under the weight	 Barrier free access	 Easy installation	 Easy to clean
 Antibacterial	 Durable		

### **Poland, Marmite Sp. z o.o.**

ul. Przemysłowa 4, Zakrzewo  
62-070 Dopiewo

### **Marmite US**

84 Lower Dowda Mill Rd.  
Jasper, GA, 30143,  
USA



[www.marmite.eu](http://www.marmite.eu)